



# Custom Contour

Westendorf's quality, styling, low profile and performance puts you out in front of the pack and keeps you there. You won't find bulky hydraulic hoses on the exterior of the loader. All hoses and lines are run through the interior of these loaders with easy-to-access panels at the rear of the tower. Designed for today's newer, sleeker, 4WD tractors with large front tires and fenders. Unrestricted turning ability. True Power-Mount™. Patented Snap-Attach™ system. Hydra-Snap™ one-step hydraulic coupling. Heavy-duty, high-capacity bucket with chain hooks and no-rib interior. Unbelievably sleek, low-profile design. The list goes on and on. A complete Westendorf system is the only tool you need to solve your material handling problems.

## A MAN'S TWO BEST FRIENDS...

### HIS DOG AND HIS WESTENDORF

**“** I really like the 340 loader; it's a powerful loader, and it's made very well. This loader really looks good on my tractor, like its been molded to fit; you can see really well because of this. I especially like the heavy-duty bucket and how easy the loader is to take on and off the tractor. I've used it for everything around the farm and have not had any problems. I'm a very satisfied customer.”

**Mike Gfeller and Robin**  
Junction City, KS



# Technology

## -- for the 21st century

The contoured lines, tailored tractor fit, heavy duty contoured bucket, stunning Electric Ice color and tractor matching decal package are only a few of the perks this loader has to offer.

### Power-Mount™ - It's on when you need it and off when you don't

When its time to do field work, just park your loader in minutes with Westendorf's Power-Mount™ system. Others "say" theirs is easy, but none match the speed, ease and simplicity of this all-matic hydraulic system. Power-Mount™ does NOT require tools or dangerous stands and can be on OR off in less than 2 minutes.



### The shape is so unique, it's patented!

They are the finest front-end loaders on the market today. Westendorf's quality, styling, low-profile fit, new technology and performance puts you out in front of the pack and keeps you there. There are NO hoses on the exterior of this loader. All hoses and lines are run through the interior arm of these loaders with easy-to-access panels at the rear of the tower. Designed for today's newer, sleeker, 4WD tractors with



large front tires and fenders. Unrestricted turning ability. True Power-Mount™. Patented Snap-Attach™ system. Hydra-Snap™ one-step hydraulic coupling. Heavy-duty, high-capacity bucket with chain hooks and no-rib interior. Unbelievably sleek, low-profile design. The list goes on and on.

### Fits like a glove

Outstanding reviews throughout its testing phase for unrestricted turning ability and ease of use. Add tons of value to your tractor with this impressive low-profile series. It is a complete system, and it is the only tool you'll need to solve your material handling problems.

The easy on/easy-off feature keeps my tractor free for other chores. You can take it off in the dirt—practically anywhere. Two minutes is stretching it for time. You don't have to leave the seat to attach it once the hoses are connected. I recently purchased a New Holland TS115A with a Custom Contour 340 loader. This loader is even better than the TA-45 loader I previously had! Thanks.

**John Neuman** - Wisconsin



Loader not intended for this use; shown to illustrate oscillation.

# Contoured

Every aspect of the Custom Contour series is designed to fit your tractor's size, shape and tire oscillation. See and Feel the difference with a loader that is tailored to your tractor.

### Your mother always told you it was good to share

There's no better way to make room for those large front tires, fenders and oscillating front axles than to allow the lift cylinder to penetrate through the loader's arm and "share" the same pivot point with the bucket cylinder. This patented feature of the Custom Contour series allows your tractor to turn freely and maintain excellent strength in lift capacity and power.

### Where's my loader? Don't guess—be sure!

It's easy to speed up repetitive tasks with the patented position indicators. The **Height Indicator** monitors loader arm position from the ground to maximum height. The **Level Indicator** monitors the bucket's position, not just at the level position, but at multiple positions from rolled back to fully dumped.



### Snap-Attach™

The original quick-change system was introduced to the market over 30 years ago. It is consistent in design and has withstood the test of time... change to a spear or snow scraper without any tools or extra trips off the tractor.

### Power-Linkage

The enhanced bucket linkage allows unbelievable rollback and dump angles of nearly 90°.

### Custom options

Custom is the name of this series so most options are already included in the base package. Add specific items such as:

- Bigger buckets
- Grapple forks
- Comfort Ride
- Hydraulic self-leveling
- Tractor matching paint color.



### Have YOU noticed what's missing from the photo above?

Just imagine how much better you are going to be able to see while working with all the hoses out of the way. Westendorf's patented lineless bucket cylinders eliminate downtime due to hose snags. Plus, all the hydraulic hoses that typically run down the loader's arms are now hidden **INSIDE** for increased visibility in all directions. This original Westendorf patented concept allows fittings to be easily accessed at the tower base or at cylinder pivot points.



### The only tool you'll ever need to remove your loader is shown above

It truly is that simple, just lift the flip lock from the front pocket and the loader is free from the tractor. No pins to remove or realign. The true Power-Mount™ feature allows hydraulic mounting and dismounting of the loader in less than two minutes without the use of tools or dangerous kick stands. The loader's tower allows the loader to solidly free stand on virtually any surface when in the off position.



### No-rib bucket with built-in extras

The Custom Contour series has a reinforced heavy-duty, high-capacity bucket with self-locking chain hooks, clean no-ribbed interior, and an enhanced bucket linkage that allows unbelievable rollback and dump angles of nearly 90°.

### The fit does make a difference

What does a properly fitting loader feel like?

It feels great, looks good, and allows your tractor to perform like it was intended. The Custom Contour series accommodates narrow 30" row settings and very large front tires while maintaining full turning radius your tractor was born with.



### Low is the best way to go

Add value to your tractor with this impressive low-profile series front-end loader. This series looks and feels like it was tailor made for your tractor. It sits low on the tractor and follows the contour of the hood to eliminate the dreaded tunnel vision effect.

### The cleaner, faster way to couple hoses

Save time and temper with the Hydra-Snap™, one-lever coupling manifold. Connects all four (or six) loader hoses to your tractor in one smooth motion. Standard in this series loader package, the Hydra-Snap™ is the perfect companion to the patented Power-Mount™ system. It prevents hose mix ups and is a much "cleaner" alternative to connecting individual hoses. For the cleanest connection, consider a flat face coupler upgrade.



“ Fantastic loader! Fits like a glove. Excellent visibility with the loader on. Three neighbors already looking at it.

This will give New Holland a run for its money.”

**Bill** - Harrisonville, MO



## CC-330

2WD up to 110 HP »  
4WD up to 85 HP »  
5275# at 10' 9"

### Everything you want

This powerful loader with smooth action has a molded, seamless fit. Its heavy-duty bucket has a rib-free interior for quick clean out. Its wider frame increases visibility and accommodates side mufflers on today's newer tractors.

#### CC-330

##### Base package:

- 3" Bucket Cylinders
- 3" Lift Cylinders
- Hydraulic Power-Mount™
- Snap-Attach™
- Mounting & Hose Kit
- Hydra-Snap™ Manifold
- Rotational Level Indicator
- Rotational Height Indicator
- 72" HD Contoured Bucket

##### Options:

- 84" HD Contoured Bucket
- 3rd Steel Line
- Bucket Teeth
- Back Drag Blade
- Level UP Advantage
- Comfort Ride
- Precision Vale w/ Regen Spool & Joystick
- Attachments (pp.74-75)

## CC-340

2WD up to 160 HP »  
4WD up to 120 HP »  
5800# at 11' 4"

### 21<sup>ST</sup> century technology

The CC-340 loader has everything from a sleek, low-profile, patented design to the striking "Electric Ice" color. It has impressive strength and it's what a lot of heavy users are looking for in a loader today. It is standard with the Hydra-Snap™ and mounts & dismounts easily. It fits most 14.9 x 24 tires with fenders and 13.6 x 28 tires without fenders.

#### CC-340

##### Base package:

- 3" Bucket Cylinders
- 3" Lift Cylinders
- Hydraulic Power-Mount™
- Snap-Attach™
- Mounting & Hose Kit
- Hydra-Snap™ Manifold
- Rotational Level Indicator
- Rotational Height Indicator
- 84" HD Contoured Bucket

##### Options:

- 72" HD Contoured Bucket
- 3rd Steel Line
- Bucket Teeth
- Back Drag Blade
- Level UP Advantage
- Comfort Ride
- Precision Vale w/ Regen Spool
- Precision Joystick
- Attachments (pp.74-75)

### You'll Dig It!

This heavy grade bucket features a clean rib-free interior with outside reinforcements and tapered design. In addition to a high-carbon steel cutting edge, it has a solid square tube top rail for added support with built-in chain hooks. It is ideal for high wear and every day use.



**A** - The sleek Electric Ice color and specific matching decals compliment any tractor.

# CC-360

2WD up to 200 HP >>

4WD up to 180 HP >>

6850# at 14' 5"

## More power and lift

The 360 Custom Contour has the same sleek, patented design and fits a whole new class of hard-to-fit tractors being introduced on the market today. It has an added lift height of 14'2". It fits tires up to 14.9 x 30 with fenders and maintains the tractor's turning radius and maneuverability.

### CC-360

#### Base package:

- 3-1/2" Bucket Cylinders
- 3" Lift Cylinders
- Hydraulic Power-Mount™
- Snap-Attach™
- Mounting & Hose Kit
- Hydra-Snap™ Manifold
- Rotational Level Indicator
- Rotational Height Indicator
- 84" HD Contoured Bucket

#### Options:

- 96" HD Contoured Bucket
- 3rd Steel Line
- Bucket Teeth
- Back Drag Blade
- Level UP Advantage
- Comfort Ride
- Precision Valve w/Regen Spool
- Precision Joystick
- Attachments (pp.74-75)



Read **MORE** about the NEW **DUMP SPREADER...**

p. 124



# CC-370

2WD up to 250 HP >>

4WD up to 210 HP >>

12,300# at 15'

## Self-leveling at its best

The largest loader of this series comes standard with unique low-profile mechanical self-leveling. It has a 15' lift height and can utilize any of the 70 series attachments. The mechanical self-leveling arm is positioned under the loader arm to keep sightlines clear for working.

### CC-370 Base package:

- 3" Bucket Cylinders
- 3-1/2" Lift Cylinders
- Mechanical Self-Leveling
- Hydraulic Power-Mount™
- Snap-Attach™
- Mounting & Hose Kit
- Hydra-Snap™ Manifold
- Rotational Level Indicator
- Rotational Height Indicator
- 96" HD Contour Bucket

### Options:

- 90"-112" Buckets
- 3rd Steel Line
- Bucket Teeth
- Back Drag Blade
- Comfort Ride
- Precision Valve w/Regen Spool
- Precision Joystick
- Attachments (pp. 74-75)

**NEW**

### All-Hydraulic Dump Spreader

Westendorf Manufacturing adds an all-hydraulic dump system to its already diverse line of products. The Dump Spreader is the first all-hydraulic spreader on the market today. Its simple design concept and versatility make it the obvious solution when hauling and spreading liquid or semi-liquid materials.

For more information on the Dump Spreader GO TO Page 124

### The cleaner, faster way to couple hoses

Save time and temper with the Hydra-Snap™, one-lever coupling manifold. Connects all four (or six) loader hoses to your tractor in one smooth motion. Standard in this series loader package, the Hydra-Snap™ is the perfect companion to the patented Power-Mount™ system. It prevents hose mix ups and is a much "cleaner" alternative to connecting individual hoses. For the cleanest connection, consider a flat face coupler upgrade.



# Tool-Free

Westendorf's time-tested quick-attach system is simple, reliable and will put a smile on your face every time you use it.


# Snap-Attach™

## It's a Snap!

The simple Snap-Attach™ adapter has a patented V-shape to self-align the attachment to the adapter; plus, it ensures a tight connection over time minimizing wear. This system has been tested for over 30 years and is one of the favorite reasons customers give for loving their Westendorf loader. "Because I can change attachments fast without using any tools." See page 9 for details.



Read **MORE** about material handling **ATTACHMENTS...** pp. 102-117



I recently set up my tractor with the Snap-Attach™ system and it works great! I go from moving round bales to moving pallets to scooping manure in seconds!

**Brian R. Young**  
Agricultural Education - Trimble County




## Custom Contour Series Attachments

	SS-I	SS-II	BH-15	QT-72	BT-84	SQ-80	SP-43	SP-76	SP-42	SP-72	SP-74	GF-32 TB-38	FB-42
<b>CC-330</b>	●	●	●	●		●	●	●	●	●	●	●	●
<b>CC-340</b>	●	●	●		●	●	●	●	●	●	●	●	●
<b>CC-360</b>	●	●	●		●	●	●	●	●	●	●	●	●
<b>CC-370</b>	●	●	●		●	●	●	●	●	●	●	●	●

	DB-84	DB-96	DB-120	SBB-8	SBB-10	SBB-12	VP-96	EB-34	FL-42 FL-48	BC-5000	BC-6000	BC-8000 BC-8800	Z-47	GF-184-3D
<b>CC-330</b>	●			●			●	●	●	●	●	●	●	(1)
<b>CC-340</b>	●			●			●	●	●	●	●	●	●	●
<b>CC-360</b>	●	●	●	●	●		●	●	●	●	●	●	●	●
<b>CC-370</b>	●	●	●	●	●	●	●	●	●	●	●	●	●	●

(1) Requires 84" Bucket



## CC Performance POINTS

	CC-330	CC-340	CC-360	CC-370
Tractor HP Rating (approximate)	up to 110 HP	up to 160 HP	up to 200 HP	up to 250 HP
<b>A</b> Full Height (ground to pin - feet/inches)	10'9" / 129"	11'4" / 136"	14'5" / 170"	15' / 180"
<b>B</b> Clearance (bucket dump - inches)	90"	102"	128"	141"
<b>C<sub>1</sub></b> Rollback Angle   <b>C<sub>2</sub></b> Dump Angle	38°   Near 90°	40°   Near 90°	36°   Near 90°	34°   47°
<b>D</b> Reach at Max Height	15"	20"	14"	31"
<b>E</b> Reach at Ground Level (to pin)	19"	26"	27"	32"
	2500 psi   3000 psi			
Lift Capacity - AWC* (31.5" from pin)	3000   3600	3300   3960	3900   4680	7000   8400
Lift Capacity - at Pivot Pin	4395   5275	4830   5800	5710   6850	10,255   12,300
Lift Cylinder - Std   Opt.	3"	3"	3"	3-1/2"
Bucket Cylinder - Std   Opt.	3"	3"	3-1/2"	3"
Bucket Sizes Available <small>HDHC - HEAVY DUTY HIGH CAPACITY</small>	72", 84"	84", 72"	84", 96"	96", 108", HDHC

\*For additional information on AWC Capacity - see page 11.  
Note: Above specifications are based on ASABE S301.3 standard. Specifications may vary depending on make and model of tractor, front axle configuration, tire size, hydraulic system and type of attachment. Design specifications are subject to change without notice or obligation.